



GREEN-LAB GREEN ADMIRE ANALYTICAL SERVICES PVT LTD

Envisioning a Healthier Tomorrow with our Best Testing Services for clean and Greenery World

स्वच्छ और हरियाली भरी दुनिया के लिए हमारी सर्वोत्तम परीक्षण सेवाओं के साथ एक स्वस्थ कल की कल्पना
AN ISO 9001:2015, ISO 14001:2015 AND ISO 45001:2018 CERTIFIED LABORATORY

Format No.: - GAASPL/QM/QSP/QF/7.8/01

TEST REPORT			
Test Report No. GAASPL/TR/270826/132	Sample Plan Code GAASPL/SAMP/220826/103	Sample Code GAASPL/GW/220826/132	Date of Report: 27.08.2026

NAME OF COMPANY	SAMPLE RECEIVED / COLLECTED FROM
ADDRESS OF THE COMPANY	M/S. GREEN FIELD ACADEMY BHAULIYA ALINAGAR ROAD, VILLAGE - MANKRI/MAKDI TEHSIL - SYANA, DISTRICT - BULANDSHAHAH UTTAR PRADESH

SAMPLE DESCRIPTION			
Date of Sample Received	22.08.2026		
SAMPLE NAME	GROUND WATER	SAMPLE TYPE	WATER
Analysis Start Date	22.08.2026	Analysis End Date	27.08.2026
Sample Collection Date	22.08.2026	Sample Location	BOREWELL
Sample Collected By	Sampling Executive (Mr. Pradeep)	Sampling Protocol	GAASPL/SOP/SAMP/01
Sample Quantity	5 Ltr. + 500 ml	Sample Preservation	Done
Sample Condition at the Time of receiving	Sealed		

TEST PARAMETERS						
Sr. No.	Parameters	Result	Unit	Specification IS : 10500 : 2012		Test Method
				Acceptable Limit	Permissible Limit	
PHYSICAL PARAMETERS						
1	Colour	BDL(DL-1.0)	Hazen	Max 5	Max 15	IS:3025 (Part-4): 2021
2	Odour	Agreeable	—	Agreeable	Agreeable	IS:3025 (Part-5):2018
3	Turbidity	BDL(DL-1.0)	NTU	Max 1	Max 5	IS:3025 (Part-10): 2023
4	Total Dissolved Solid (TDS)	527	mg/L	Max 500	Max 2000	IS:3025 (Part-16): 2023
5	Taste	Agreeable	—	Agreeable	Agreeable	IS: 3025 (Part-8): 2023
6	pH at 25°C	7.49	—	6.5 to 8.5	No relaxation	IS:3025 (Part-11): 2022
CHEMICAL PARAMETERS						
7	Total Alkalinity (as CaCO ₃)	186	mg/L	Max 200	Max 600	IS:3025 (Part-23): 2023
8	Total Hardness (as CaCO ₃)	291	mg/L	Max 200	Max 600	IS:3025 (Part-21): 2009 RA:2023
9	Total Ammonia	BDL(DL-0.3)	mg/L	Max 0.5	No relaxation	IS:3025 (Part-34/Sec-1):2023

Manager
Green Field Academy
Bhauiliya Ali Nagar Village Maankri
Syana (Bulandshahr)

Principal
Green Field Academy
Bhauiliya Ali Nagar Village Maankri
Syana (Bulandshahr)



GREEN ADMIRE ANALYTICAL SERVICES PVT LTD

CHECKED BY				FORMAT NO. GAASPL / QM/QSP/QF/s.1/01	
SEC. ANALYST / HEAD	SIGNATURE	SEC. ANALYST / HEAD	SIGNATURE	AUTHORIZED SIGNATORY	
Air - RAKESH KUMAR		Inst. MUSKAN		RAJKUMAR CHAUHAN	
Water - SHIVANI SINGH		Micro. SADAF		(AIR/CHEMICAL/MICRO /INSTRUMENT)	

Term & Conditions:

- The results reported relate only to samples tested. In case sample is not drawn by laboratory person, results apply to the sample as received in laboratory.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- Under no circumstances, the laboratory will not accept any liability caused by the use or mis-use of the test report.

Laboratory Address: Plot No. E - 152, FIRST FLOOR, KAVINAGAR INDUSTRIAL AREA, GHAZIABAD, UP - 201002

Registered Address: PLOT NO. 69, MANSAROVAR PARK, SHAHPUR BHEMIMETA, LAL KUAN, GHAZIABAD, UP - 201009

email: services.greenadmire@gmail.com, care.greenadmire@gmail.com, Mobile - 91 - 9800223396, 9200383984, 7701820896



GREEN ADMIRE

**GREEN-LAB
GREEN ADMIRE ANALYTICAL SERVICES PVT LTD**

Envisioning a Healthier Tomorrow with our Best Testing Services for clean and Greenery World

स्वच्छ और हरियाली भरी दुनिया के लिए हमारी सर्वोत्तम परीक्षण सेवाओं के साथ एक स्वस्थ कल की कल्पना

AN ISO 9001:2015, ISO 14001:2015 AND ISO 45001:2018 CERTIFIED LABORATORY

Format No.: - GAASPL/QM/QSP/QF/7.8/01

Test Report No.	Sample Plan Code	Sample Code	Date of Report:
GAASPL/TR/270826/132	GAASPL/SAMP/220826/103	GAASPL/GW/220826/132	27.08.2026

10	Chloride (as Cl)	67.4	mg/L	Max 250	Max 1000	IS:3025 (Part-32): 1988
11	Sulphate (as SO ₄)	29.7	mg/L	Max 200	Max 400	IS:3025(Part-24)Sec 1: 2022
12	Residual Free Chlorine	BDL(DL-0.15)	mg/L	Min 0.2	Min 1.0	IS:3025 (Part-26): 2021
13	Chloramines	BDL(DL-0.1)	mg/L	Max 4.0	No relaxation	IS:3025 (Part 26): 2021
14	Anionic Detergent (as MBAS)	BDL(DL-0.1)	mg/L	Max 0.2	Max 1.0	IS: 3025 (Part-68): 2019 RA:2023
15	Nitrate (as NO ₃)	2.4	mg/L	Max 45.0	No relaxation	IS:3025 (Part-34/Sec-1):2023
16	Fluoride (as F)	BDL(DL-0.5)	mg/L	Max 1.0	Max 1.5	IS:3025 (Part-60/Sec-1):2023
17	Phenolic Compound as Phenol (C ₆ H ₅ OH)	BDL(DL-0.0005)	mg/L	Max 0.001	Max 0.002	IS:3025(Part-43/Sec-1): 2022
18	Electrical Conductivity at 25 °C	823.43	µS/cm	-	-	IS:3025 (Part 14): 2013 RA:2023
19	Hexavalent Chromium (as Cr ⁶⁺)	BDL(DL-0.03)	mg/L	-	-	IS:3025 (Part-52): 2003 RA:2023
20	Calcium (as Ca)	59.4	mg/L	Max 75	Max 200	IS:3025 (Part-40): 2024
21	Magnesium (as Mg)	24.7	mg/L	Max 30	Max 100	IS:3025 (Part-46): 2023

ELEMENTAL PARAMETERS

22	Cadmium (as Cd)	BDL(DL-0.002)	mg/L	Max 0.003	No relaxation	IS:3025 (Part-2): 2019 RA:2023
23	Manganese (as Mn)	BDL(DL-0.01)	mg/L	Max 0.1	Max 0.3	IS:3025 (Part-2): 2019 RA:2023
24	Iron (as Fe)	BDL(DL-0.01)	mg/L	Max 1.0	No relaxation	IS:3025 (Part-2): 2019 RA:2023
25	Mercury (as Hg)	BDL(DL-0.001)	mg/L	Max 0.001	No relaxation	GAASPL/STP/W/001 Issue No. 02, Issue Date: 20.01.2025
26	Zinc (as Zn)	BDL(DL-0.01)	mg/L	Max 5	Max 15	IS:3025 (Part-2): 2019 RA:2023
27	Lead (as Pb)	BDL(DL-0.005)	mg/L	Max 0.01	No relaxation	IS:3025 (Part-2): 2019 RA:2023
28	Total Chromium (as Cr)	BDL(DL-0.01)	mg/L	Max 0.05	No relaxation	IS:3025 (Part-2): 2019 RA:2023
29	Aluminium (as Al)	BDL(DL-0.01)	mg/L	Max 0.03	Max 0.2	IS:3025 (Part-2): 2019 RA:2023
30	Copper (as Cu)	BDL(DL-0.01)	mg/L	Max 0.05	Max 1.5	IS:3025 (Part-2): 2019 RA:2023
31	Boron (as B)	BDL(DL-0.01)	mg/L	Max 0.5	Max 2.4	IS:3025 (Part-57): 2021

MICROBIOLOGICAL PARAMETERS

32	Total Coliform	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	IS 15185 : 2016 RA:2021
33	Escherichia coli	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	IS 15185 : 2016 RA:2021

BDL-Below Detection Limits, DL - Detection Limits

[Signature]
Manager
Green Field Academy
Bhauliya Ali Nagar Village Maankri
Syana (Bulandshahr)

[Signature]
Principal
Green Field Academy
Bhauliya Ali Nagar Village Maankri
Syana (Bulandshahr)

**GREEN ADMIRE ANALYTICAL SERVICES PVT LTD****CHECKED BY**

FORMAT NO. GAASPL / QM/QSP/QF/5.1/01

SEC. ANALYST / HEAD	SIGNATURE	SEC. ANALYST / HEAD	SIGNATURE	AUTHORIZED SIGNATORY
Air - RAKESH KUMAR	<i>[Signature]</i>	Inst. MUSKAN	<i>[Signature]</i>	RAJKUMAR CHAUHAN
Water - SHIVANI SINGH	<i>[Signature]</i>	Micro. SADAF	<i>[Signature]</i>	(AIR/CHEMICAL/MICRO /INSTRUMENT)

Term & Conditions:

- The results reported relate only to samples tested. In case sample is not drawn by laboratory person, results apply to the sample as received in laboratory.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- Under no circumstances, the laboratory will not accept any liability caused by the use or miss-use of the test report.

Laboratory Address: Plot No. E-152, FIRST FLOOR, KAVINAGAR INDUSTRIAL AREA, GHAZIABAD, UP - 201002

Registered Address: Plot No. 69, MANSAROVAR PARK, SHAHPUR BHEMNETA, LAL KUAN, GHAZIABAD, UP - 201005

Mobile - 91 - 8800323396, 8800383364, 7701520

Page 2 of 2

Annexure C

PROFORMA FOR SAFE DRINKING WATER AND SANITARY CONDITION CERTIFICATE

No.

Dated:

It is certified that an inspection team headed by

(Name of Officers with designation) from Dist. Lab. Ghaziabad, PHED

inspected the Green Field Academy, Bhauliya Ali Nagar Road, Maankri, Syana, Bulandshahr.

(Name & Address of the school) on 27-08-2026 (date of inspection) and on the basis of

Water Test Report (Attached) bearing no. GAASPL/TR/270826/132 dated 27-08-2026,

of Dist. Lab. Ghaziabad, (PHED Lab) certified that

Green Field Academy, Bhauliya Ali Nagar Road,
the vill. Maankri, Syana, Bulandshahr (Name of school) has safe drinking water

facilities for the students and members of staff of the institution. School is also maintains the

hygienic sanitation condition in the school building & the campus as per norms prescribed by the

Central/ State/ U.T. Govt.

This certificate is valid till 26-08-2027 (one year)

चिकित्साधिकारी

सामुहिक स्वास्थ्य केंद्र, स्याना

बुलंदशहर



Signature with Seal:

Name

Designation

Name & Address of the Office / Department : C.H.C. Road

Bulandshahr

To Green Field Academy,
Bhauliya Ali Nagar Road,
vill. Maankri, Syana, Bulandshahr.
(Name & Address of the Institution)

Note: The certificate is to be issued by authorized officer / PHED Lab / local bodies

Manager

Green Field Academy
Bhauliya Ali Nagar Village Maankri
Syana (Bulandshahr)

Principal

Green Field Academy
Bhauliya Ali Nagar Village Maankri
Syana (Bulandshahr)